

Policies, Innovations and Networks for enhancing Opportunities for China Europe Water Cooperation

Project supported by the European Commission within the Horizon 2020 Programme Grant Number 642433

Task 4: Elaboration of a shared Strategic Research and Innovation Agendas (SRIA)

Domains and technologies

Annex to the PIANO Online Questionnaire

Work package	Policy Uptake and SRIA (WP4)
Report number	
Document title	Domains and technologies – Annex of PIANO Online Questionnaire
Due date	Month (Feb 2018)
Actual submission date	Month XXIII (March 2017)
Start date of project	01.03.2015

Participants (Partner short names)

ISPRA, BOKU, DTU, SIWI, ATKINS, EWA, EUCCC

Authors in alphabetical order

Genève Farabegoli (ISPRA) Alessandro Lotti (ISPRA) Silvia F. Pietra (ISPRA)

Dissemination level:

(PUblic, Restricted to other Programmes Participants, **RE**stricted to a group specified by the consortium, **CO**nfidential- only for members of the consortium)

Deliverable Status:

Version 1.1

Introduction

This Annex to the Piano online Questionnaire aims at helping in better understanding of the questionnaire and properly filling it.

The Annex contains:

- an introduction that describes the issues related to the five domains;
- the measures to be undertaken (objectives);
- the relevant research and innovation activities to be developed;
- the technologies to be adopted.

PIANO Domain 1: Agricultural water management

Water use and water management in agriculture are strictly correlated. In 2013, the agricultural water sector used 63% of the total 618 billion m³ water used in China. Main challenges related to agricultural water management sector are water scarcity, water pollution and extreme events.

Due to different causes, such as the use of inefficient "flood irrigation" for farmland, a major priority is to increase water use efficiency as a means to control the increasing water scarcity. In 2013, irrigation with water saving techniques accounted for only 43% of the irrigated farmland. China's 12th Five-year Plan (2011-2015) includes a target to increase the irrigation efficiency index from 0.5 to 0.53 within the period 2011-2015.

Another serious challenge is water pollution. In 2013, it has been estimated that ca. 60% of the groundwater in China is unsuitable for drinking water supply. Regarding surface water pollution, rural areas lack sewage collection and treatment systems, as well as a garbage collection and removal systems. It's, therefore, needed a specific focus on new irrigation technologies as DDS (Decision Support System) and techniques for water reuse and safety through wastewater reuse, groundwater efficiency in irrigated agriculture, irrigation management and modelling on future trends.

As specified in the "Three Red Line" document and lately refined in the Water Ten Regulations, improving the surface water quality is of high importance in China. In the Water Ten Regulations, China has set a national target to not exceed 15% extremely-bad quality groundwater.

Flood control and extreme events management are instrumental to human survival and economic development. Serious floods and droughts often hit farmland and agricultural areas that have resulted in major losses of life and property and exposed serious weaknesses in water conservancy infrastructure, including farmland irrigation and drainage.

PIANO PROJECT – DOMAIN 1

AGRICULTURAL WATER MANAGEMENT DOMAIN

The activities of Domain 1 aim to overcome the following objectives:

- to reduce water scarcity increasing water saving techniques and water management;
- to reduce water pollution focusing on new irrigation technologies as DDS and techniques for water reuse and safety through wastewater reuse;
- to control and manage flood and extreme events for reducing impacts on agricultural sector.

Technologies Inventory: TWIEU A36, TWIEU A8, TWIEU A30, TWIEU A16, TWIEU A24¹

MAIN CHALLENGES	RELEVANT RESEARCH AND INNOVATION ACTIVITIES
Water Scarcity	 Implementation of precision irrigation technologies and irrigation management: DSS and modelling for water resources assessment (Technologies, tools, ICT platforms); Implementation of water reuse new technologies (e.g. cascading systems); Safe reuse of treated wastewater reuse; Efficiency of water use, in particular relating to groundwater efficiency in irrigated agriculture as precision irrigation technologies; sensors and monitoring

¹ The prioritized and recommended TWIs are marked in bold

	technologies; fertigation technologies;		
	• Water reuse in irrigated agriculture (promoting social acceptance, assessing costs		
	and barriers);		
	 Development of water-conserving farming and forestry practices; 		
	 Modelling on future trends (resources availability, climate change conditions); 		
	 Solutions for sustainable use of water resources in bio-economy sector 		
	Reducing soil and water pollution through nutrients and pesticide technologies		
Water pollution	management; Technologies for pollution remediation (manure separation; manure		
	treatment; precision irrigation; energy recovery technologies)		
	• Water-related soil degradation technologies (salinity, erosion, degradation,		
	clogging, oxidation);		
	Technology for pollution monitoring		
	 Precision farming technologies (incl. manure treatment technologies) 		
	 DSS and related technologies; 		
	• Methodologies to manage water and land-use (monitoring; management,		
Extreme events			
	Remediation technologies		
Extreme events	 measures) On-line monitoring and forecasting of floods and droughts; Monitoring technologies for early warning system, forecasting of extreme events; floods control; DSS 		

AGRICULTURAL WATER MANAGEMENT TECHNOLOGIES			
TWI	TWI Category	TWI Subcategory	
TWIEU A36. Groundwater sampling system with passive samplers measuring volatile organic compounds such as chlorinated solvent sand constituents of petroleum fuels in groundwater, including sampler analysis. It could be used for extraction of soil-water from dry boreholes in contaminated site investigation.	Groundwater technology	Monitoring technologies (incl. DSS)	
TWIEU A8. DSS: SCADA remote control system, based on the qualitative parameters of treated water to be used for irrigation purpose.	Irrigation technology	Real-time estimation tools	
TWIEU A30. Software for nitrogen budgeting for each crop based on estimates of crop demand and nitrogen availability from various fertilizers.	Irrigation technology	Real-time estimation tools (DSS)	
TWIEU A16: DSS: Ground-based multisensory platforms, equipped with soil and plant sensors (geophysical sensors -EMI, GPR-, passive hyperspectral sensor and active radiometric sensor connected to a DGPS) for improving irrigation water use efficiency.	Irrigation technology	Integrated systems for irrigation/fertigation management (DSS + sensors)	
TWIEU A24. Integrated water management system for forestry in arid lands. Coupling of phytotechnologies (e.g. constructed wetlands) with wastewater treatment, land recovery with multipurpose forestry and bioengineering	Irrigation technology	Integrated systems for irrigation/fertigation management (DSS + sensors)	

PIANO Domain 2: Municipal water management

Water supply covered ca. 90% of domestic water demand in cities, so this supply deficit stimulates construction of private water supply facilities in areas where public water supply is unavailable. This results in extensive use of water and risk for poor water quality. Water scarcity in Northern China has stimulated a search for alternatives to the overexploited local surface water and groundwater resources, such as desalination plant, aquifer recharge and riverbank filtration but all these alternative sources are still at an early stage due to lack of advanced technology and governmental support. Furthermore, linking of water tariffs with local water scarcity will increase the raw water price and thereby also the demand for water saving household technologies.

Another class of water use challenges are related to efficiency of the supply network. The average water loss due to leaks in the urban supply system network was reported to 15% in 2010, which overtakes national standard limits of 12%.

The increasing demand for clean drinking water brings a need for alternative or energy-efficient treatment technologies along with a safe distribution network to avoid contamination between the treatment plants and the end users.

Municipal wastewater treatment is another major water challenge faced by the Chinese decision makers. According to the Water Ten Regulations, municipal wastewater treatment plants should meet the discharge standard of Class A (best) in key lakes areas, key reservoirs areas and offshore catchment areas by the end of 2017. In 2015, the rate of recycled water utilization has been targeted to 15% and the rate of harmless sludge disposal to 70% in cites and 30% in both counties and towns.

PIANO PROJECT – DOMAIN 2

MUNICIPAL WATER MANAGEMENT DOMAIN

The activities of Domain 2 aim to overcome the following objectives:

- to reduce water scarcity increasing public supply coverage, using water saving and water management technique;
- to reduce water pollution focusing on new municipal wastewater treatment;
- to control and manage flood and extreme events through integrated risk assessment and management of urban flooding, forecasting technologies and DSS;
- to reduce ecosystem degradation developing better methods and tools to determine environmentally sustainable river flows;
- to increase water infrastructures trough management tools and monitoring system technologies

Technologies Inventory: TWIEU B50, TWIEU B63, TWIEU B52, TWIEU D10, TWIEU B59, TWIEU B64, TWIEU B20, TWIEU C1, TWIEU B46, TWIEU B47, TWIEU B70, TWIEU B37, TWIEU B54, TWIEU B41, TWIEU B58, TWIEU B39, TWIEU B62, TWIEU D11, TWIEU C18, TWIEU C46, TWIEU D13²

MAIN CHALLENGES	RELEVANT RESEARCH AND INNOVATION ACTIVITIES
Water Scarcity	 Water saving technologies implementation (taps, WCs, infrastructures, water reuse) and efficient use of water using also metering technologies; Application of tools to manage and predict water demand; Reducing leakage from pipe networks (water infrastructure efficiency; leakage

² The prioritized and recommended TWIs are marked in bold.

	detection and monitoring technologies)
	• Drinking water production from wastewater and alternative Water Resources (potential sources; Water reuse technologies; desalination technologies; rainwater harvesting technologies)
	 Data integration technologies, to improve data availability
	Recovery energy and raw material technologies from sludge and wastewater
	(energy and nutrient recovery technologies)
	 Microbiological Risk Assessment and management tools
Water pollution	• Sensors and monitoring technologies (microbiological-chemicals contamination)
	• Technologies for emerging pollutants; Separation technologies and extraction
	technologies to harvest resources from wastewater and reused water;
	Wastewater treatment technologies (WWT); Remediation Strategies and
	technologies
	 Monitoring technologies and methods to remove point and diffuse chemical – biological pollutants
	• DSS for sustainable management of bio-solids; Energy production from bio-solids
	• Real-time monitoring and control systems (wastewater network management):
	District metering areas
	• Analytical techniques for detect and monitor chemical substances (pathogens,
	new pollutants, etc.)
	 Assess the environmental behaviour of pollutants (modelling technologies; assessment methods; etc.)
Extreme events	 Modelling tools for integrated risk assessment and management of urban flooding and pollution
	Storm water management systems improving Sustainable Urban Drainage
	Systems (SUDSs) and Sponge Cities approach and methodologies
	• Forecasting technologies and technologies to predict and manage urban floods
	Natural hazards: Nature based solutions to mitigate urban floods
	Decision Support Systems (DSS)
	Methods and tools to determine environmentally sustainable river flows
Ecosystem degradation	
Water	 Below ground assets: methods-technologies for identification (monitoring) and
infrastructures	remediation of corrosion-aging
	 Asset management tools for sustainable maintenance programmes
	 Market-oriented solutions: Water distribution and measurement technologies
	(water losses monitoring; sensors: DSS technologies for water distribution systems)
	 Improve water systems: Monitoring technologies of water systems; Management
	technologies

MUNICIPAL WATER MANAGEMENT TECHNOLOGIES			
TWI	TWI Category	TWI Subcategory	
TWIEU B50. Technology for monitoring of coliform bacteria and E. Coli in drinking water. The principle of the technology is measurement of color or fluorescence produced by the bacteria through cleavage of specific substrates added to the water. The technology is based on a chemical reaction between a substrate in the growth medium and enzymes produced by the coliform bacteria.	(Source) Water Extraction, Treatment, Distribution	Monitoring/Sensors during Water Treatment	

TWIEU B63. Vertical Sequencing Batch Reactor System for reducing cost and space of plant.	Used Water Collection, Treatment, Disposal	Bioprocesses – for Carbon (and more) removal
TWIEU B52. UV-VIS multiparameter based measurement sensor for the measurement of nitrate and nitrite in wastewater.	Used Water Collection, Treatment, Disposal	Monitoring/Sensors during Used Water Collection/Treatment
TWIEU D10. Data-logging system that detects leakages in water pipelines by analysing sound waves, using a computer to collect and analyse data through a set of remote sensors.	(Source) Water Extraction, Treatment, Distribution	Control/DSS
TWIEU B59. Advanced chemical oxidation processes make use of chemical oxidants to reduce COD/BOD levels, and to remove both organic and oxidisable inorganic components. The processes can completely oxidise organic matter to carbon dioxide and water, although it is often not necessary to operate the processes to this level of treatment.	(Source) Water Extraction, Treatment, Distribution	Water treatment- chemical (incl. advanced oxidation, disinfection, etc)
TWIEU B64. Hydrothermal carbonization (HTC) technology to produce carbons from sewage sludge and for solution to recover phosphorous compounds from HTC-coal.	Biosolids from WWT	Treatment/Physical (Heat,)
TWIEU B20. Biologically and ecologically balanced filtration system, to treat wastewater in areas that lack connections to a municipal sewer system.	Used Water Collection, Treatment, Disposal	Bioprocesses – for Carbon (and more) removal
TWIEU C1. Optical biosensor technology, for instant and ultra-sensitive detection of (bio-) chemical substances in drinking water.	(Source) Water Extraction, Treatment, Distribution	Monitoring/Sensors during Water Treatment
TWIEU B46. A treatment system including an iron generator, an aerator, sand filters and a tank for collection and removal of sludge to reduce arsenic in drinking water. In the iron generator, iron is added to the water as Fe (II). The water is pumped through the aerator, where iron(II) is oxidized to iron(III). Iron forms poorly soluble hydroxides which adsorb arsenic. In the sand filter, poorly soluble hydroxides and adsorbed arsenic compounds are removed.	(Source) Water Extraction, Treatment, Distribution	Water treatment- chemical (incl. advanced oxidation, disinfection, etc)
TWIEU B47. A combination of coagulation with direct filtration technology to remove natural organic matter, particles and microorganism for the production of drinking water from surface water sources.	(Source) Water Extraction, Treatment, Distribution	Water treatment- chemical (incl. advanced oxidation, disinfection, etc)
TWIEU B70. Variable Pore Structure Micro Filter to capture suspended solids using backwashable filters, without using chemical. The filters use low energy, small footprint and very high efficiency in a variety of sizes from 10 μ down to 0,2 μ.	Used Water Collection, Treatment, Disposal	Solids Separation/Filtration (incl. membranes)
TWIEU B37. Reduce solids production from biological wastewater treatment by adding an unaerated interchange tank and cycling biomass between this	Biosolids from WWT	Treatment/Biological

metabolic tank and the main bioreactor.		
TWIEU B54. UV-disinfection technology to treat effluent from fish farms.	Used Water Collection, Treatment, Disposal	Advanced treatment (Phys/Chem, incl. adv. oxidation, disinfection)
TWIEU B41. A mobile floating sensor to be placed in WWTP tanks to monitor ammonia, nitrate, oxygen, pH and suspended solids for measuring gaseous emissions to check the aeration efficiency and Data Integration Management System (DIMS) software for data storing and processing.	Used Water Collection, Treatment, Disposal	Monitoring/Sensors during Used Water Collection/Treatment
TWIEU B58. Decentral system with membranes for water treatment and greywater recycling. Special organic fibres are used in the membranes procedure, facilitating ultra- and micro-filtration for the treatment of wastewater. It produces germ-free, bacteriological high quality drinking water, irrespective of whether the input water comes from surface water, groundwater, runoff water from wastewater treatment plants, industrial wastewater or grey water from houses.	Used Water Collection, Treatment, Disposal	Advanced treatment (Phys/Chem, incl. adv. oxidation, disinfection)
TWIEU B39. Coupling Salinity Gradient Power (SGP) technologies with Desalination for an integrated WWT and fresh water production from the sea at 1 kWh/m ³ energy consumption.	(Source) Water Extraction, Treatment, Distribution	Water treatment – physical (incl. membranes, ion exchange, UV, etc)
DSS		
TWIEU B62. Decision support systems for analysis and management of urban water distribution network are based on an integrated network of pipes, pumps, regulators, valves, monitoring, alert systems, and other network components integrated in a comprehensive and centralized control platform.	(Source) Water Extraction, Treatment, Distribution	Control/DSS
TWIEU D11. Decision support system (DSS), based on the implementation of district metered areas (dmas) and analysis of their flow and pressure data for water distribution network management and control water losses.	(Source) Water Extraction, Treatment, Distribution	Control/DSS
TWIEU C18. Web based S.C.A.D.A. application for controlling and monitoring Waste Water Treatment Plants (WWTP) via internet, including estimation of the WWTP indicators of Oxygen Uptake Rate, the oxygen transfer efficiency and KLa.	Used Water Collection, Treatment, Disposal	Control/DSS
TWIEU C46. Supervisory control strategy designed for activated sludge treatment plants with nutrient removal. The control strategy combines three complementary control loops to optimise the nitrogen removal in pre- denitrifying activated sludge plants.	Used Water Collection, Treatment, Disposal	Control/DSS
TWIEU D13. DSS: wastewater management tools which facilitates the wastewater utilities to dynamically combine and easily access multi-disciplinary data sources (including SCADA data and real time modelling forecasts).	Used Water Collection, Treatment, Disposal	Control/DSS

PIANO Domain 3: Industrial water management

Challenges are related to water use efficiency and water treatment in industry. In particular, industrial water use in China is ca. 23% of the total water use and the industrial water consumption (water use minus return flow) rate was 23% of the industrial water use in the past. In 2012, the industrial water use was 69 m³ per 10'000 Yuan of industrial added value.

Wastewater discharged from industrial sectors was 21 billion tons in China in 2013, corresponding to 30% of the total wastewater discharges. Industrial wastewater discharges are the cause of severe pollution challenges in Chinese rivers and lakes. Reuse and recycling of industrial water will be promoted in cities facing severe water scarcity and water quality challenges. According to the Action Plan on Water Pollution Prevention and Control by 2020, the recycled water utilization rate should reach 20% in cities with water shortages, and 30% in Beijing-Tianjin-Hebei region.

PIANO PROJECT – DOMAIN 3

INDUSTRIAL WATER MANAGEMENT DOMAIN

The activities of Domain 3 aim to overcome the following objectives:

- To reduce water scarcity through monitoring technologies, water saving and water management technologies with the aim to reuse industrial waste water and close the water cycle;
- To reduce water pollution through advance water treatment technologies.

Technologies Inventory: TWIEU C25, TWIEU C29, TWIEU A6, TWIEU C11, TWIEU C13, TWIEU C2, TWIEU C63, TWIEU C30, TWIEU C31, TWIEU C60, TWIEU C58, TWIEU C59, TWIEU C62, TWIEU C37, TWIEU C15, TWIEU C27, TWIEU C54, TWIEU C55, TWIEU C53³

MAIN CHALLENGES	RELEVANT RESEARCH AND INNOVATION ACTIVITIES
Water Scarcity	 Technologies to define and use water quality fit for use Technologies aimed to develop sustainable use of resources (discharge, waste, energy) and to close the water cycle (leading to zero discharge system) Monitoring systems and technologies
	 Water saving technologies (energy efficient systems) and water reuse technologies (in irrigation and industry) Energy recovery technologies; Resources / raw material recovery technologies Recovery energy and raw material technologies from sludge and wastewater (energy and nutrient recovery technologies)
Water pollution	 Monitoring technologies to improve water quality control and discharges; Develop advance water treatment technologies (energy efficient systems: small scale systems technologies to specific pollutants removal); New Wastewater Treatment technologies: Membrane technologies; Advanced, biological, treatment, solid separation

INDUSTRIAL WATER MANAGEMENT TECHNOLOGIES			
TWI	TWI Category	тwi	
		Subcategory	

³ The prioritized and recommended TWIs are marked in bold

TWIEU C25. Ultrasound based disinfection technology with combination of ozone. TWIEU C29. Dynamic Vapour Recompression to concentrate salt and carbonate rich liquids up till	Advanced treatment (Phys/Chem, incl. adv. oxidation, disinfection) Advanced treatment (Phys/Chem, incl. adv.	Used Water Collection, Treatment, Disposal Used Water Collection,
concentration level.	oxidation, disinfection)	Treatment, Disposal
TWIEU C6. High-rate anaerobic reactor for wastewater treatment (primarily organic constituents) and biogas production.	Bioprocesses for C (and more) removal	Used Water Collection, Treatment, Disposal
TWIEU C11. Hybrid aerated activated carbon filtration technology, developed to add accurate and efficient amount oxygen (from air) to a classic activated carbon contactor.	Bioprocesses for C (and more) removal	Used Water Collection, Treatment, Disposal
TWIEU C13. Periodical Air/water cleaning of spiral wound membrane modules to control membrane fouling to reduce use of chemicals. Lower energy, less operational intervention needed. Longer membrane lifetime.	Solids Separation/Filtration (incl. membranes)	Used Water Collection, Treatment, Disposal
TWIEU C2. Innovative stabilized hydrogen peroxide solution of food-grade quality to replace classical stabilizers or active substances.	Advanced treatment (Phys/Chem, incl. adv. oxidation, disinfection)	Used Water Collection, Treatment, Disposal
TWIEU C63. Atmospheric evaporation enhancement technology uses a proprietary evaporation equipment, through the principle of equal-enthalpy evaporation of the waste water in most of the water (96-98%) into the surrounding atmosphere, the remaining amount of concentrate can be resource use according to concentrate recycling or final disposal.	Advanced treatment (Phys/Chem, incl. adv. oxidation, disinfection)	Used Water Collection, Treatment, Disposal
TWIEU C30. Moving Bed Adsorption combines moving sand bed filtration and carbon adsorption to remove suspended particles and dissolved organics in one step on milligram and microgram per liter levels.	Advanced treatment (Phys/Chem, incl. adv. oxidation, disinfection)	Used Water Collection, Treatment, Disposal
TWIEU C31. Spiralizer vertical plates separator, for separation or clarification in wastewater treatment with low energy demand and without using flocculants, chemicals or polymers.	Advanced treatment (Phys/Chem, incl. adv. oxidation, disinfection)	Used Water Collection, Treatment, Disposal
TWIEU C60. Advanced oxidation technology combines the advantages of adsorption and oxidation within a single unit, using proprietary adsorbent of non-porous nature, to reduce recalcitrant Chemical Oxygen Demand (COD), remove color and destroy micro-pollutants.	Advanced treatment (Phys/Chem, incl. adv. oxidation, disinfection)	Used Water Collection, Treatment, Disposal
TWIEU C58. An optical laser based online sensor system equipped with automatic sampler to monitor treated wastewater as an early warning system for reclaimed and recycled water.	Monitoring/Sensors (includes production of fit- for-use waters)	Production Water Reuse & Recovery
TWIEU C59. Combination of UV and chemical oxidation with dose control during the disinfection process in water reclamation for reuse, e.g. in fit-for-purpose production of reclaimed water.	Treatment (includes production of fit-for-use waters)	Production Water Reuse & Recovery

TWIEU C62. A tool for online monitoring of deposits build-up and removal on the inner surface of piping. It can be used as a permanent monitoring tool or has an auditing tool for fouling and cleaning potential of the systems. It provides online, real-time and integrated information about the deposit layers attached to the inner surface of the monitored piping.	Efficiency (incl. water savings, usage, minimization)	Water Use
TWIEU C37. Combined membrane filtration and sonochemical technologies for advanced purification of industrial and mixed wastewater.	Advanced treatment (Phys/Chem, incl. adv. oxidation, disinfection)	Used Water Collection, Treatment, Disposal
TWIEU C15. Membrane distillation using (waste) heat as driving force.	Separation/Filtration (incl.)	
TWIEU C27. Hybrid process based on heterogeneous crystallization and filtration for the removal of hardness by means of the precipitation of calcium carbonate on heterogeneous seeds.	Advanced treatment (Phys/Chem, incl. adv. oxidation, disinfection)	Used Water Collection, Treatment, Disposal
TWIEU C54. Combined Biologic process for removal of organic matter, sulphate and others nutrients in industrial wastewater.	Bioprocesses for C (and more) removal	Used Water Collection, Treatment, Disposal
TWIEU C55. Anaerobic hybrid filter for pretreatment of industrial or urban wastewater.Bioprocesses for C (an more) removal		Used Water Collection, Treatment, Disposal
TWIEU C53. Sewer Mining, direct treatment of wastewater for water, energy and nutrients recovery. Using pre-treatment, forward osmosis and re- concentration process and digestion.	many subcategoreis combined	Used Water Collection, Treatment, Disposal

PIANO Domain 4: River basin management and flood control

Flood protection has always been a high priority in China. Small and large dams, temporary flood retention areas, dykes and river spillways have the purpose to control rivers throughout in China. At the same time, existing urban drainage systems in the major cities are relatively inefficient about capacity to cope with urban floods.

Serious challenges with urban waterlogging during intense precipitation events due to high urbanization rate have led to design a new drainage pipeline network to 1-3 year rain events for general areas of the cities and 3-4 year events in key areas of the cities.

Rapid urbanization, uncontrolled land-use and development of industrial zones have increased both urban and river flooding risks and increased water pollution in the Chinese rivers. Domestic and industrial discharge of untreated wastewater, diffuse pollution from agriculture and precipitation delivering persistent organic pollutants to the rivers, are some of the major pollution sources.

Major challenges, related to flooding risk, aim to associate integrated river basin management tools with application of sustainable urban drainage system, preventive tools of river training, canal construction, dyke performances as well as hydraulic infrastructures. Moreover, it should be developed integrated methods to deal with the coupled water challenges, decision support systems (DSS) and real-time monitoring tools associated with land-use aspects, chemical/ecological water quality, urbanization issues, industrial priority pollutants as well as storage and delayed run-off at the basin-scale.

PIANO PROJECT – DOMAIN 4

RIVER BASIN MANAGEMENT AND FLOOD CONTROL DOMAIN

The activities of Domain 4 aim to overcome the following objectives:

- Optimization of water uses, water saving and management, through mitigation strategies and monitoring system with the aim to reduce water scarcity
- Reducing water pollution through technologies for contaminated areas and data integration technologies
- Mitigation of extreme events using technologies for seasonal forecasting (Drought) and numerical models, through land management project, developing tools and new technologies for adaptation to floods and droughts
- Reducing ecosystem degradation through research on ecological flows, nature based solutions and integrated river basin management tools

<u>Technologies Inventory: TWIEU D2, TWIEU E14, TWIEU D16, TWIEU D1, TWIEU D8, TWIEU D9, TWIEU D5, TWIEU D15, TWIEU D23, TWIEU D22, TWIEU D21⁴</u>

MAIN CHALLENGES	RELEVANT RESEARCH AND INNOVATION ACTIVITIES
Water Scarcity	 Mitigation strategies to face soil sealing (increasing runoff; reducing aquifer recharge) which include forecasting technologies for water resources and water demands Optimization of water uses, water saving and management of multiple water users including water balance modelling systems and technologies (DSS) Monitoring system to assess GW abstraction and recharge; Managed Aquifer

⁴ The prioritized and recommended TWIs are marked in bold

	Recharge Technologies Implementing MAR; Natural water retention measures
	(nature-based solutions)
	Freshwater bodies classification and matching alert system (physical – economical
	identifiers; water inflow changes; GW extraction rate); Freshwater
	overexploitation
	• Research at catchment scale: assessment method of available water resources;
	• Water resources assessment: Monitoring technologies and sensors technologies;
	Research on hydrological processes (Monitoring; sensors technologies; Modelling
	tools; Remote observation systems; Data management technologies)
	Develop of adaptive water management methods Taska a la site for each minute degree group disting (accessing and estimated)
M	Technologies for contaminated areas remediation (passive and active
Water pollution	technologies)
	 Survey the state of degraded water resources systems; study and modelling the
	transfer of contaminants
	Develop risk assessment tools
	Treatment technologies
	Early Warning System and Technologies
	 Data integration technologies (hydrological parameters, pollution loads, water
	quality chemical and microbiological)
	 Implementation of mitigation strategies to face soil sealing
Extreme events	
LALIEINE EVENILS	Using of technologies for seasonal forecasting (Drought) and climate models (assigned and loss loss loss) for surface of uncertainty
	(regional and local scale) for evaluation of uncertainty
	Use of new remote sensing technologies (satellite, Doppler radar, wireless sensors
	etc.) for forecasting and monitoring
	 Use of integrated modelling across SW and GW, coastal and fluvial systems,
	hydrological and meteorology, water and sediment transport
	 Risk Based decision making and planning tools
	 Land management project: flood plain and river banks restoration; asset
	resettlements
	Develop tools and new technologies for adaptation to floods and droughts (Early
	Warning Systems; sensor technology; monitoring technologies)
	 Water management methods and technologies: forecasting technologies, DSS;
	modelling technologies; Space-based technology (SBT)
Ecosystem	
Ecosystem	 DSS for system restoration, covering physical, ecological, social and economic banefits and costs
degradation	benefits and costs
	Monitoring system to assess the ecological status of SW/GW
	Research on pressure-impact-response relationships
	Develop new Water Management scheme (policy, regulations, monetary model;
	governance)
	Ecological engineering and Ecohydrology (research and technologies): research on
	restoration methodologies of aquatic systems (morphology continuity; hydraulic
	connectivity; sediment transport)
	Research on ecological flows
	Nature Based Solutions: Use of new natural materials (flexible concrete, durable
	grass)
	 Integrated river basin management tools: Bio-inspired dams for ecosystem
	degradation; smart buoy to monitor in-situ water quality
	degradation, smart budy to monitor in-situ water quality

RIVER BASIN MANAGEMENT AND FLOOD CONTROL TECHNOLOGIES		
TWI	TWI Category	TWI Subcategory

TWIEU D2 Smart and sand engines (sensors that relay real- time status reports on the condition of the dike). Use of new natural materials (flexible concrete, durable grass) to bolster flood defences.	Integrated river basin management tools (flood protection)	Preventative technologies
TWIEU E14 Smart buoy to monitor in-situ water quality (like dissolved oxygen, pH, conductivity, temperature, redox potential, total dissolved solids and turbidity) and web platform to receive the information provided by the buoy.	water management technologies	Integrated systems (monitoring tools + DSS)
TWIEU D16. Bio-inspired dams for ecosystem degradation management (sustainable ecosystem restoration in semi- arid regions).	Integrated river basin management tools (flood protection)	Preventative technologies
TWIEU D1. River basin management including flood risk management using Space-based technology (SBT) and information and communication technology (ICT).	water management technologies	Integrated systems (monitoring tools + DSS)
TWIEU D8. Web Mobile Application to report river water bodies status.	water management technologies	Stand-alone DSS
TWIEU D9. Microalgae dual-head biosensors for selective detection of herbicides with fibre-optic luminescent oxygen transduction.	water management technologies	Sensors & other devices
TWIEU D5. Floating technology for water retention and flood resilience in the urban fabric, based on modular composite technology that consists of fibre reinforced EPS structural panels for floating systems.	Integrated river basin management tools (flood protection)	Reactive technologies
TWIEU D15. Natural Water Retention Measures (NWRM) with crowdsourcing for DSS for flood risk reduction.	water management technologies	Stand-alone DSS
TWIEU D23. Integrated water resources management (IWRM) tool that combines a hydrological (SWAT), a river basin management (MIKE Hydro Basin) and a groundwater model (FEEFLOW) to provide decision support on surface – groundwater interactions.	water management technologies	Integrated systems (monitoring tools + DSS)
TWIEU D22. Interactive simulation system for river basin management in areas where no or little data is available based on stochastic analysis that provides information on long-term water management planning.	water management technologies	Integrated systems (monitoring tools + DSS)

PIANO Domain 5: Water for energy

China is world leading in construction and operation of large hydroelectric dams with hydropower accounting for 944 TWh or 17% of the annual power production. Small-scale hydropower plants generate 220 TWh of these. It is estimated that China has the highest potential for small-scale hydropower in the world and hydropower is included as priority area in energy development as planned in 2007 Medium and Long-term Development Plan of Renewable Energy. Because of that, China has lunched numerous projects for rural electricity supply and simultaneous ecology protection, replacing firewood with small-scale hydropower since 2012. Small-scale hydropower stations are mostly located in poor rural mountainous areas, and problems with poor quality of constructions and technology are common. Focus has been put mainly on expansion of the production capacity but challenges are related to the weak grid infrastructures that cause inefficient use of the water resources and to preserve natural ecosystem in dammed rivers. Downstream river discharge is different from the natural flow regime due to dams, which are commonly operated to maximise hydropower production or irrigation water demands. Chinese government is now focusing on environmental impacts mitigation. Optimal river basin management and cascade power stations can safeguard the base flow required and, at same time, meeting the objective from water and electricity demands. Major challenges are associated with prediction and mapping of reservoir inflows, assessment trade-offs between the conflicting objectives and methods to monitor and document the effect of implementing more sustainable reservoir operation policies.

PIANO PROJECT – DOMAIN 5

WATER FOR ENERGY DOMAIN

The activities of Domain 5 aim to overcome the following objectives:

- Reducing water scarcity through industrial water reuse and water-energy nexus

Technologies Inventory: TWIEU E19, TWIEU E23, TWIEU E12, TWIEU E5, TWIEU E1, TWIEU E3, TWIEU E4, TWIEU E6, TWIEU E13, TWIEU E15, TWIEU E17, TWIEU E20, TWIEU E9⁵

MAIN CHALLENGES	RELEVANT RESEARCH AND INNOVATION ACTIVITIES
Water Scarcity	 Improve industrial water reuse through water reuse technologies Water-energy nexus: Energy is needed for water supply and Water is crucial in power production.

WATER FOR ENERGY TECHNOLOGIES		
TWI	TWI Category	TWI Subcategory
TWIEU E19. Geothermal energy pump to harvest	energy production	Other sources
geothermal energy.	technologies	Other sources
TWIEU E23. Micro-hydro generators: systems that do		
not require a dam or storage facility to be constructed.	energy production	
Instead, they divert water from the stream or river,	technologies:	other
channel it in to a valley and drop it in to a turbine via a	small-scale	other
pipeline called a penstock. The turbine drives a generator	hydropower	
that provides the electricity to the local community.		
TWIEU E12. Behavioural fish barrier (using a strobe light,	water	Mitigation technologies
sound and a bubble curtain as stimuli) to e.g. divert fish	management	willigation technologies

⁵ The prioritized and recommended TWIs are marked in bold

from turbine blades of hydroelectric structures.	technologies	
	energy production	
TWIEU E5. Very low head turbine generator (Kaplan type)	technologies:	Turbines and
for up to 4.5 m head.	small-scale	components
·	hydropower	
	energy production	
TWIEU E1. Hooped Pelton Turbine designed based on the	technologies:	Turbines and
separation of function between buckets and hoops.	small-scale	components
	hydropower	
TW//FULF2 Corew Turking Constraints Sustains a corew turk	energy production	
TWIEU E3. Screw Turbine Generating System, a screw type	technologies:	Turbines and
small (up to 300kW) hydro unit applicable to existing channel or weir.	small-scale	components
	hydropower	
TW/FULFA Vertical Micro Polton Turking with composite	energy production	
TWIEU E4. Vertical Micro Pelton Turbine with composite	technologies:	Turbines and
runner buckets in package type generating unit for small	small-scale	components
rivers with relatively low discharge and high head.	hydropower	
TWIEU E6. Small turbines to be retrofitted e.g. intake	energy production	
towers, unused ship locks, canal weirs and navigation and	technologies:	Turbines and
irrigation dams to use these existing structures as a	small-scale	components
profitable and renewable energy resource.	hydropower	
TWIEU E13. Water Lubricated Bearings guarantee the non-	energy production	
pollution of the river that can happen with the oil-	technologies:	Turbines and
lubricated alternatives.	small-scale	components
	hydropower	
TWIEU E15. Earthquake safety assessment for concrete	energy production	
dams foundation failure by application of integrated	technologies:	Decision support
numerical tools.	small-scale	systems (DSS)
	hydropower	
TWIEU E17. Integrated assessment and structural	energy production	
modelling of swelling processes in concrete dams:	technologies:	Decision support
measurement of concrete stress, using flat jacks and over-	small-scale	systems (DSS)
coring techniques.	hydropower	
TWIEU E20. Oscillating water columns, device that	energy production	Other sources
generates electricity from waves.	technologies	
TWIEU E9. DSS: Hydropower Plant Simulator (HPPS) for	energy production	Tools to predict and
simulating the refurbishment and maintenance decisions	technologies:	map resource flows and
of hydropower plant.	small-scale	assessing trade-offs
	hydropower	between resources uses